





PRODUCT SPECIFICATION
2023 Brochure

BUILDING TRUST
FOR GENERATIONS



APPROVED BY





HII PRIME CTL SHEETS


HII Prime CTL Sheets typically refer to a sheet or coil of material, such as steel, aluminum, or other metals, that is custom-cut to specific dimensions according to project requirements. These sheets are often used in various construction and manufacturing processes where precise sizing is crucial.

Our custom-cut sheets are made very carefully to fit your project just right. We use really advanced technology to make sure they're the exact size and shape you want. These sheets are strong and long-lasting because we use really good materials. If you need a specific size, thickness, or look, we can make it exactly the way you need it to make sure your project goes well.


PRODUCT RANGE




Ordinary MS Sheet




E250 Grade Sheet



E350 Grade Sheet



CRCA Sheet



Chequered Sheet

AREA OF USAGE



Fabrication



Pole Base Plate



Tower



Bridge



Partition

Weight Chart HR Sheet

S. No.	THICKNESS	SIZE	MAX. WEIGHT / PIECE (KG)
1	1.20 mm	1220 x 2440	28
2	1.40 mm	1220 x 2440	32
3	1.50 mm	1220 x 2440	35
4	1.60 mm	1220 x 2440	37
5	1.80 mm	1220 x 2440	42
6	2.00 mm	1220 x 2440	47
7	2.20 mm	1220 x 2440	53
8	2.30 mm	1220 x 2440	54
9	2.40 mm	1220 x 2440	56
10	2.50mm	1220 x 2440	58
11	2.65 mm	1220 x 2440	60
12	2.80 mm	1220 x 2440	65
13	2.85 mm	1220 x 2440	68
14	3.00 mm	1220 x 2440	70
15	3.10mm	1220 x 2440	72
16	3.50 mm	1220 x 2440	82
17	3.85mm	1220 x 2440	90
18	4.00 mm	1220 x 2440	93
19	4.30 mm	1220 x 2440	101
20	4.60 mm	1220 x 2440	108
21	5.00 mm	1220 x 2440	117
22	6.00 mm	1220 x 2440	140
23	8.00 mm	1220 x 2440	190
24	10.00 mm	1220 x 2440	235
25	12.00 mm	1220 x 2440	280
26	16.00 mm	1250 x 2500	380
27	20.00 mm	1250 x 2500	470
28	25.00mm	1250 x 2500	585

Weight Chart CR Sheet

S. No.	THICKNESS	SIZE	MAX. WEIGHT / PIECE (KG)
1	0.35 mm	1220 x 2500	8.600
2	0.37 mm	1220 x 2500	9.100
3	0.40 mm	1220 x 2500	9.900
4	0.45 mm	1220 x 2500	10.800
5	0.50 mm	1220 x 2500	12.000
6	0.52 mm	1220 x 2500	12.200
7	0.54 mm	1220 x 2500	13.100
8	0.57 mm	1220 x 2500	13.800
9	0.58 mm	1220 x 2500	13.850
10	0.68 mm	1220 x 2500	16.500
11	0.80 mm	1220 x 2500	19.200
12	0.85 mm	1220 x 2500	19.500
13	0.90 mm	1220 x 2440	21.500
14	1.10 mm	1220 x 2440	25.700
15	1.30 mm	1220 x 2440	30.500
16	1.40 mm	1220 x 2440	31.500
17	1.50 mm	1220 x 2440	34.500



HULAS

IRON INDUSTRIES LTD.



(+977) 01-5970085



www.hulasgroup.com



marketing@hulasiron.com



Head Office :

6th Floor, Aamir Bhawan, Kamaladi
Ganesthan, Kathmandu-28, Nepal

Plant

Bindabasini-02, Birgunj, Parsa,
Narayani, Nepal

